

# CustomTicks package

Mark A. Caprio, Department of Physics, University of Notre Dame

Version 2.1.1 (August 26, 2020)

---

## Introduction

*Mathematica* provides a powerful system for generating graphics but does not provide, in built-in form, the fine formatting control necessary for the preparation of publication quality figures. The CustomTicks package provides detailed customization of tick mark placement and formatting. The flexibility achieved matches or exceeds that available with most commercial scientific plotting software. Linear, logarithmic, and general nonlinear axes are supported. Some tick mark manipulation functions, for use in graphics programming, are also provided by the CustomTicks package.

The CustomTicks package is part of the SciDraw system for preparing publication-quality scientific figures with *Mathematica* (<http://scidraw.nd.edu>). It was originally developed as part of LevelScheme [Comput. Phys. Commun. **171**, 107 (2005)].

## Basic use for linear axes

The default tick marks produced by *Mathematica*'s plotting functions are typically not ideal for publication. It is often desirable to be able to change the tick spacing from that selected by *Mathematica*. The tick marks are also often too short to be easily visible.

It is possible to override the default *Mathematica* ticks by specifying a list of tick marks, complete with formatting information, as the value for the `Ticks` or `FrameTicks` option (see the *Mathematica* documentation for basic plotting options). It is prohibitively tedious to construct such lists by hand. The CustomTicks package provides functions to automatically construct lists of tick marks, with detailed control over formatting.

<code>LinTicks[x1, x2]</code>	Produces linear tick specifications, with automatically chosen major and minor tick intervals
<code>LinTicks[x1, x2, interval, subdivs]</code>	Produces linear tick specifications, with manually chosen major and minor tick intervals

Tick specification function.

<i>option name</i>	<i>default value</i>	
<code>TickRange</code>	<code>{-Infinity, Infinity}</code>	Limits the drawing of ticks (and their labels) to given coordinate range
<code>ShowMinorTicks</code>	<code>True</code>	Controls whether or not the minor ticks are drawn; mainly for use with <code>LogTicks</code> (see below)

Options controlling the coordinates at which tick marks are displayed.

<i>option name</i>	<i>default value</i>	
ShowTickLabels	True	Controls whether or not major tick labels are printed
ShowMinorTickLabels	True	Controls whether or not minor tick labels are printed
TickLabelRange	{-Infinity, Infinity}	Limits printing of major tick labels to given coordinate range
ShowFirst	True	Controls whether or not first major tick label is printed
ShowLast	True	Controls whether or not last major tick label is printed
TickLabelStep	1	Limits printing of major tick labels to one in every TickLabelStep major ticks
TickLabelStart	0	Used in conjunction with TickLabelStep chooses which subset of major tick labels are printed

Options controlling which tick marks are accompanied by labels.

<i>option name</i>	<i>default value</i>	
MajorTickLength	0.01	Length for the major ticks (may also be given as a list of two lengths, into and out of the frame, as described in the Mathematica documentation for Ticks)
MinorTickLength	0.005	Length for the minor ticks (may also be given as a list of two lengths, into and out of the frame, as described in the Mathematica documentation for Ticks)
TickDirection	In	Orientation of tick marks ( In for tick marks into the frame, Out for tick marks out of the frame, or All for tick marks both into and out of the frame)
TickLengthScale	1	Additional scale factor by which to lengthen both the major and minor ticks, relative to the lengths given by the options MajorTickLength and MinorTickLength above
MajorTickStyle	{}	List specifying the line style for the major ticks
MinorTickStyle	{}	List specifying the line style for the minor ticks

Options specifying the appearance of tick marks.

<i>option name</i>	<i>default value</i>	
DecimalDigits	Automatic	Sets number of digits after decimal place for major tick labels; if Automatic, the maximum number of digits needed for any label is used for all labels
NumberSigns	Automatic	Strings to use as signs for negative and positive numbers; see <i>Mathematica</i> documentation and discussion of FixedPointForm function below
NumberPoint	.	String to use as decimal point

Options specifying the numerical formatting of tick labels (if the default labeling function is used).


### Logarithmic axes

The function `LogTicks` generates tick marks for logarithmic axes. `LogTicks` can produce tick marks for an arbitrary logarithmic base (10 is the default, but  $e$  and 2 are other commonly useful bases). Unlike the *Mathematica* `LogPlot` function, which produces cumbersome decimal labels (e.g., "0.0000001", "0.000001", ...), `LogTicks` produces true exponential labels (e.g., " $10^{-7}$ ", " $10^{-6}$ ", ...).

<code>LogTicks[<i>n1</i>, <i>n2</i>]</code>	Produces logarithmic tick specifications, base 10
<code>LogTicks[<i>base</i>, <i>n1</i>, <i>n2</i>]</code>	Produces logarithmic tick specifications, arbitrary <i>base</i>

Logarithmic tick specification function.

`LogTicks` must be given the starting power, ending power, and, optionally, the logarithmic base  $b$ . For base 10, a total of eight minor ticks are produced in each major interval, at  $2 \times 10^n$  through  $9 \times 10^n$ . For an arbitrary base  $b$ ,  $[b]-2$  minor ticks are produced, at  $2 \times b^n$ ,  $3 \times b^n$ , .... Display of the minor ticks may be suppressed by specifying the option `ShowMinorTicks→False`. Some examples are shown below.




This tick function was designed on the assumption that you will be generating your plots with *logarithmic* axes the “manual” way. That is, as far as the plotting functions are concerned, you are actually generating *linear* plots, but you have taken the logarithm of either the  $x$ -axis or  $y$ -axis variable. Specifically, for base 10,


- (1) a *logarithmic* (or *linear-log*) plot of  $f$  is obtained by plotting  $\log_{10} f(x)$ ,
- (2) a *log-linear* plot of  $f$  is obtained by plotting  $f(10^x)$ , and
- (3) a *log-log* plot of  $f$  is obtained by plotting  $\log_{10} f(10^x)$

on ordinary linear axes. A similar procedure holds for bases other than 10. Examples of a logarithmic plot and a log-log plot follow.

```
Plot[
  {Log10[Cosh[x]], Log10[Sinh[x]]}, {x, 0, 10},
  PlotRange → {{-0.0001, 4}, {-0.5, 2.5}},
  FrameTicks → {
    {LogTicks[10, -1, 3], LogTicks[10, -1, 3, ShowTickLabels → False]},
    {LinTicks[0, 4], LinTicks[0, 4, ShowTickLabels → False]}
  },
  Axes → False, Frame → True, ImageSize → 72*3
]
```



```
Plot[
  {Log10[(10^x)^2], Log10[(10^x)^5]}, {x, -1, 3},
  PlotRange -> {{-0.0001, 3}, {-0.5, 4.5}},
  FrameTicks -> {
    {LogTicks[10, -1, 5], None},
    {LogTicks[10, 0, 3], None}
  },
  Axes -> False, Frame -> True, ImageSize -> 72*3
]
```




If, instead, you wish to use `LogPlot` or related *Mathematica* functions directly for your logarithmic plots, see the discussion below, under “Use with `LogPlot` and related functions”.

### Automatic ticks for *Mathematica* plot functions


The functions `LinTicks` and `LogTicks` can also be specified as automatic tick generation functions for the *Mathematica* plotting functions. This saves you typing the plot range explicitly each time, at least if you do not wish to specify details such as the number of subdivisions.

```
Plot[
  {Log10[Cosh[x]], Log10[Sinh[x]]}, {x, 0, 10},
  PlotRange -> {{-0.0001, 4}, {-0.5, 2.5}},
  FrameTicks -> {{LogTicks, None}, {LinTicks, None}},
  Axes -> False, Frame -> True, ImageSize -> 72*3
]
```




What if you wish to have tick marks on the top and right as well, but without labels on them? Simply specifying `FrameTicks→{LinTicks,LogTicks}` or `FrameTicks→{LinTicks,LogTicks,LinTicks,LogTicks}` would unfortunately result in ticks with unsightly and redundant labels. This can be avoided with the CustomTicks `StripTickLabels` wrapper function, as shown below.

```
Plot[
  {Log10[Cosh[x]],Log10[Sinh[x]]},{x,0,10},
  PlotRange→{{-0.0001,4},{-0.5,2.5}},
  FrameTicks→
  {{LogTicks,StripTickLabels[LogTicks]},{LinTicks,StripTickLabels[LinTicks]}},
  Axes→False,Frame→True,ImageSize→72*3
]
```



If you are doing many such plots, it is easiest to set the necessary options as the default options for `Plot`.

```
SetOptions[
  Plot,
  Axes→False,Frame→True,
  FrameTicks→
  {{LogTicks,StripTickLabels[LogTicks]},{LinTicks,StripTickLabels[LinTicks]}},
];
GraphicsGrid[{{Plot[Log10[x^2]},{x,0,10}],Plot[Log10[x^-2]},{x,0,10}]}}
```



option name	default value	
LogPlot	False	Controls whether <code>LogTicks</code> operates as it should for standalone use or for automatic tick mark generation with <code>Mathematica</code> 's <code>LogPlot</code>

`LogTicks` special option.


### Use with `LogPlot` and related functions

If you wish to use `LogPlot` or related *Mathematica* functions directly for your logarithmic plots, you may also do so. However, `LogTicks` must then be instructed to adjust its output accordingly. (`LogPlot` expects tick coordinates to be specified as the true coordinate value, not the logarithm of the coordinate value. `LogTicks` must also interpret its `n1` and `n2` arguments differently in this case.) Automatic use with `LogPlot` can be accomplished by setting the option `LogPlot->True`.

```

SetOptions[LogTicks, LogPlot -> True];
Plot[
  {Cosh[x], Sinh[x]}, {x, 0, 10},
  PlotRange->{{-0.0001, 4},{10^-0.5, 10^2.5}},
  FrameTicks-
>{{LogTicks,StripTickLabels[LogTicks]},{LinTicks,StripTickLabels[LinTicks]}}
,
  Frame->True, ImageSize -> 72*3
]

```



Alternatively, if you are a *SciDraw* user, you might find yourself wanting to include the output of *Mathematica*'s `LogPlot` in a *SciDraw* figure, via `FigGraphics`, and then put logarithmic ticks on this figure. (I

generally just use the manual approach above, instead, and do not bother with `LogPlot`. But you may be a diehard `LogPlot` user...)

Similarly, if you are a more advanced *Mathematica* graphics programmer, you might find yourself wishing to use `LogPlot` or related *Mathematica* functions to generate graphics which you will then combine with other graphics to form a composite figure, and you then may wish to put logarithmic ticks on this figure. It turns out that `LogPlot` and its ilk do essentially what we described as the manual procedure above. That is, they generate linear plots in which they have taken the logarithms of the coordinates. But, they actually take the logarithm base  $e$ , rather than base 10. (No matter that the *ticks* which they generate by default are base 10 log ticks...) So, if you create ticks with `LogTicks`, the coordinates describing where these ticks should be placed must be adjusted accordingly. For instance, the tick for “10”, instead of being located at  $\log_{10}10=1$  according to the procedure we described before, must now be at  $\log_e10\approx 2.30259$ . This rescaling of coordinates may be accomplished with the option setting `LogPlot->E`. *Technical note:* This option has the same effect as `Tick-PostTransformation->(Log[10]*#&)` (see below).


## Further control over tick placement and advanced customization

option name	default value	
TickLabelFunction	Automatic	Function used to generate major tick labels (first argument is the numerical coordinate, second argument is the <code>LinTicks</code> default formatted label); <code>Automatic</code> gives the default label
TickPreTransformation	Identity	Function to be applied to tick coordinates, before range tests and label generation
TickPostTransformation	Identity	Function to be applied to tick coordinates, after range tests and label generation
MinorTickIndexTransformation	Identity	Function to be applied to minor tick indices (originally 1, 2, ..., <i>subdiv</i> - 1) before minor tick coordinate is obtained by linear interpolation between major tick positions
MinorTickIndexRange	{1, Infinity}	Limits drawing of minor ticks to those with indices (before transformation) in given range
MinorTickLabelStyle	None	Text style for minor tick labels

Advanced customization options.

`LinTicks` accepts several options for advanced customization, allowing fully customizable labels and general nonlinear axis scales. The option `TickLabelFunction` is used to specify the function to be used to construct tick labels (see the *Mathematica* documentation for `Function` for information on defining functions). The label function is given as arguments both the raw numerical tick coordinate and the `LinTicks` default formatted label, so it can work with whichever is more convenient. The label function may be used for simple tasks, such as attaching a prefix or suffix to the usual default label, or for more sophisticated formatting. In the following example, tick values are formatted as rational multiples of  $\pi$ .

```
LinTicks[0, 2*Pi, Pi/2, 4, TickLabelFunction -> (Rationalize[#/Pi]*Pi&)]
```



Nonlinear axes are constructed using the coordinate transformation functions. For instance, the `LogTicks` function provided by the `CustomTicks` package is actually implemented as a special case of `LinTicks`, with


transformed minor tick positions. A very simplified implementation of `LogTicks` (base 10 logarithm only) is given below for illustration.

```
Log10Ticks [p1_Integer, p2_Integer, Opts___?OptionQ] := LinTicks [
  p1, p2, 1, 9,
  TickLabelFunction -> (DisplayForm[SuperscriptBox[10, IntegerPart[#]]] &),
  MinorTickIndexTransformation -> (Log10[#+1]*9 &),
  Opts
];
```

<code>LinTicks[ majorticklist, minorticklist]</code>	Produces major and minor ticks at the specified coordinate values
--	---

Form of tick specification function for ticks at arbitrary locations.

Ticks may be placed at arbitrary coordinate locations by using the most flexible form of `LinTicks`, in which all major and minor tick coordinates are specified explicitly in two lists. All the usual coordinate-transformation and customization options described above (except `MinorTickIndexRange`) are still applicable.



Manual choice of tick coordinates

```
LinTicks[{0, 1, 2, 3, 5}, Range[0.1, 0.9, 0.1]]
```

<i>option name</i>	<i>default value</i>	
<code>ExtraTicks</code>	<code>{}</code>	Additional coordinate values at which to insert tick marks
<code>TickTest</code>	<code>(True &amp;)</code>	Logical test to be applied to coordinate values, to select the coordinates at which tick marks are displayed (provides further control beyond the simple range test provided by <code>TickRange</code> above)
<code>TickLabelTest</code>	<code>(True &amp;)</code>	Logical test to be applied to coordinate values, to select the coordinates at which tick labels are displayed (provides further control beyond the simple range test provided by <code>TickLabelRange</code> above)

Further options controlling the placement of tick marks and labels.

Or, even without taking complete manual control of the choice of tick positions, some further control over tick placement is provided through the options above.

### Tick mark programming utilities

<code>LimitTickRange[{ x1, x2}, ticks]</code>	Selects those tick mark with coordinates in the range specified; approximate equality testing is used to avoid dropping ticks at the ends of the interval due to roundoff; ticks must be specified as lists rather than bare numbers
<code>TransformTicks[ coordfcn, lengthfcn, ticks]</code>	Applies the specified transformation functions to the tick coordinates and tick lengths, respectively; ticks must be specified with an explicit pair of in and out lengths
<code>StripTickLabels[ ticks]</code>	Removes any text labels from ticks; ticks must be specified as lists rather than bare numbers
<code>AugmentTicks[ labelfcn , { l1, l2 }, stylelist, ticks]</code>	Upgrades all tick specifications to full specifications, complete with labels, lengths into and out of the frame (default 0 for out), and style directives
<code>AugmentAxisTickOptions[ numaxes, tickoptions]</code>	Given a list of tick options (themselves lists of tick specifications) for several axes, replaces any <code>None</code> entries with null lists and appends additional null lists as needed to make <code>numaxes</code> entries; a value <code>None</code> for <code>tickoptions</code> is replaced by a list of null lists
<code>TickQ[ x]</code>	Tests whether or not <code>x</code> is a valid tick mark specification
<code>TickListQ[ x]</code>	Tests whether or not <code>x</code> is a list of valid tick mark specifications

Tick manipulation utilities.

Several utility functions for tick mark manipulation and testing are provided. These are mainly intended for use in graphics programming rather than for direct use by someone wishing to specify tick marks. They are used internally by the `LevelScheme` figure preparation system.

<code>FractionDigits[ x]</code>	Returns the number of digits to the right of the point in the decimal representation of <code>x</code>
---------------------------------	--

Decimal digit counting function.

`FractionDigits` determines the number of digits to the right of the point in the decimal representation of a number. It is of use in constructing fixed-point tick labels. It will, naturally, return large values, determined by *Mathematica's* `Precision`, for some numbers, such as non-terminating rationals. It accepts the option `FractionDigitsBase`, by default 10, for work with non-decimal representations. Some examples follow:

```

FractionDigits[100]
FractionDigits[1.25]
FractionDigits[1 / 3]

0
2
17

```

<code>FixedPointForm[ x, r]</code>	Formats <code>x</code> as a fixed-point number with <code>r</code> digits to the right of the decimal point.
<code>FixedPointForm[ x, { l, r}]</code>	Formats <code>x</code> as a fixed-point number with <code>l</code> digits (or spaces) to the left and <code>r</code> digits to the right of the decimal point.

Decimal digit counting function.

`FixedPointForm` returns a string, consisting of the real number  $x$  formatted in fixed-point representation. It is used internally by `CustomTicks` in constructing fixed-point tick labels, hence its inclusion in this package, but it may be used to format numbers in many other contexts as well. Some examples follow:

```
FixedPointForm[Pi // N, 5]
FixedPointForm[Pi // N, 2]
FixedPointForm[Pi // N, 0]

3.14159

3.14

3

FixedPointForm[Pi // N, {2, 3}]
FixedPointForm[4 * Pi // N, {2, 3}]

3.142

12.566
```

`FixedPointForm` accepts options `NumberSigns`, `SignPadding`, and `NumberPoint`, which are defined much as for the usual built-in *Mathematica* numerical formatting functions `NumberForm`, etc. (See the *Mathematica* documentation for further information on their usage.) By default, for positive numbers a blank padding space appears at left, where a minus sign would be for negative numbers, to improve alignment with negative numbers. However, `FixedPointForm` also accepts the special value `NumberSigns→Automatic`, which specifies that this space should be suppressed. In general, this provides a better appearance for tick labels.

```
FixedPointForm[Pi // N, 3]
FixedPointForm[- Pi // N, 3]
FixedPointForm[Pi // N, 3, NumberSigns -> Automatic]

3.142

-3.142

3.142
```

*Technical notes:* `FixedPointForm` allows as many digits as necessary to the left of the decimal point, thereby avoiding the rounding problem associated with `PaddedForm[x, {n, f}]` when  $n$  is specified too small (`PaddedForm` zeros out some of the rightmost digits of the number). It also suppresses any trailing decimal point when  $r=0$ .

© Copyright 2020, Mark A. Caprio.