

Converting *Mathematica* notebooks to Microsoft Word format.

Mike Honeychurch
m.honeychurch@uq.edu.au

Version 0.1

last modified Tuesday, July 12, 2005 at 14:57

1. Introduction

So you've figured out how to prepare really nice documents using *Mathematica* but you find yourself collaborating with someone else who only ever uses Microsoft Word. Your collaborators want to be able to edit the document you have written so you need to provide them with something that they can both read and edit. Do you forget all about using *Mathematica* for document creation and wave the white flag or do you persevere and look for a method of converting your *Mathematica* notebook into the ubiquitous Word format? If you've faced this problem perhaps this notebook can be of some help.

This notebook is by no means a definitive example of how to convert a *Mathematica* notebook to Microsoft Word but rather contains a few things that I have found useful. Since the question of how best to convert notebooks to Word is occasionally asked in MathGroup I thought I would write this brief example.

The conversion approach I've taken is rather indirect but in my experience provides the best outcome. In brief it involves first converting the notebook to *TEX* using the File►Save As Special... menu command. The resulting *TEX* document is then converted to rich text format (RTF) using the freeware application *latex2rtf*. The resulting RTF file can then be opened in Word and saved as a Word document.

Now the thing is that if you only have plain text in your notebook then you can simply cut and paste into word but the trouble and problems arise if you have inline equations and figures. Providing that you can save your notebook into a *TEX* file, *latex2rtf* will convert the entire *TEX* file with equations and figures into an RTF file. Better still the equations will be converted into "clickable" fields that can be edited using the inbuilt equation editor in Word.

To get started you'll need to download a copy of *latex2rtf*. It is available at <http://latex2rtf.sourceforge.net/>. Versions are available for UNIX and windows.

The examples contained in this folder were generated using version 1.9.16a for UNIX. I compiled it on an Apple G4 powermac running OS X 10.3.9. Mac users can also obtain latex2rtf via [Fink](#). Thats it. The only other things you will need to test this is a notebook, such as this one, containing equations and figures, preferably also some means of editing and checking the TEX document that you save, this is not vital but can be useful, and a copy of MS Word.

2. Step One

In this section we'll generate some equation cells and figures and also some inline equations like this $x^2+2y=z$ and this $\int_0^b e^{-x}x^3ydx$. I've deliberately made some numbered equation cells that contain multi-line equations. These require some small editing of the TEX file before they can be successfully converted by latex2rtf. I've found that for the TEX conversion to work best you need to name you numbered equation cells "NumberedEquation." If you were to open the style sheet and change the name, without changing the actual styling the TEX conversion looks a bit messy. You can try this out for yourself. This is presumably because the converter has been programmed to recognise only cells called "NumberedEquation" as numbered equations. If you know TEX fixing this in the output file would presumably be trivial. Unfortunately I do not know TEX. The remaining part of this section contains some equations, a plot and some filler text.


$$x^2 + 2y = z \tag{1}$$

$$\int_0^b e^{-x}x^3ydx \tag{2}$$

$$\frac{d\Gamma_A}{dt} = -k_{f1}\Gamma_A + k_{b1}\Gamma_B + k_2\Gamma_{C.S} \frac{d\Gamma_B}{dt} = -(k_{f2} + k_{b1})\Gamma_B + k_{b2}\Gamma_C + k_{f1}\Gamma_A \frac{d\Gamma_C}{dt} = k_{f2}\Gamma_B - (k_{+1}c_S(0,t) + k_{b2})\Gamma_C \tag{3}$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit a

Plot[Sin[x], {x, 0, 2π}]



–Graphics–

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit a

$$k_{b1} = k_{s1}\xi_1^{1-\alpha}k_{f1} = k_{s1}\xi_1^{-\alpha}k_{b2} = k_{s2}\xi_2^{1-\alpha}k_{f2} = k_{s2}\xi_2^{-\alpha} \quad (4)$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit a

$$\Gamma_A + \Gamma_B + \Gamma_C = \Gamma_T \quad (5)$$

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum iriure dolor in hendrerit in vulputate velit esse molestie consequat, vel illum dolore eu feugiat nulla facilisis at vero eros et accumsan et iusto odio dignissim qui blandit praesent luptatum zzril delenit a

$$x_A + x_B + x_C = 1 \quad (6)$$

3. Step two

Next step is to save this notebook as `TEX`. Go to the menu and select `File►Save As Special...` I have saved this notebook as `test.tex`. The figures in your notebook will be saved as separate EPS files.

4. Step three

Next step you can either edit the *TEX* file. On the Mac I have used TeXShop to edit the *TEX* file but there are others around such as iTeXMac and texmaker. If you do not have any of these programs use a text editor.

On the Mac you need to change your typesetting method from "pdftex" to "TEX and Ghostscript." I've found this change necessary in order to get the EPS files included correctly ...however I might be showing my ignorance of LATEX here. Perhaps someone can offer some better instructions here. Typeset the document and check that everything is okay.

You will notice that the linebreaks in eqns (3) and (4) have not been converted correctly. At the end of the day we are not seeking a perfect LATEX document but some changes need to be made in order to get the conversion to RTF to work correctly. For example if we do nothing now we get the test.rtf file that can be found in this folder.

If you open the *TEX* file in either TeXShop or similar program or a text editor you will notice the equations are wrapped by `begin{equation}` and `end{equation}`. For example eqn (4) in full is:

```
\begin{equation}k_{\text{b1}}=k_{\text{s1}}\xi_1^{1-\alpha}\\
\\
k_{\text{f1}}=k_{\text{s1}}\xi_1^{-\alpha}\\
\\
k_{\text{b2}}=k_{\text{s2}}\xi_2^{1-\alpha}\\
\\
k_{\text{f2}}=k_{\text{s2}}\xi_2^{-\alpha}\end{equation}
```

Our objective is not to make the perfect LATEX document, though any input from readers would be welcome, it is to modify the *TEX* file so that all equations are converted to editable fields in the RTF file. As it stands an error is produced when the conversion of eqns (3) and (4) is attempted; see the file test.rtf. To fix this you need to go to all the multi-line equations cells in your notebook and change `{equation}` to `{eqnarray}`. Save the file as test1.tex.

```
\begin{eqnarray}k_{\text{b1}}=k_{\text{s1}}\xi_1^{1-\alpha}\\
\\
k_{\text{f1}}=k_{\text{s1}}\xi_1^{-\alpha}\\
\\
k_{\text{b2}}=k_{\text{s2}}\xi_2^{1-\alpha}\\
\\
k_{\text{f2}}=k_{\text{s2}}\xi_2^{-\alpha}\end{eqnarray}
```

5. Step four

In UNIX open a terminal and type:

```
latex2rtf test1.tex
```

There are various switches that are described in the latex2rtf documentation but I have found that the default settings work fine. Quite a few messages will be generated but an RTF file will be created. Open the RTF file, tests1.rtf, in Word. To ensure correct equation formatting double click on each the equations. This will open them in the equation editor window. Close the equation editor window without making any changes. That's it. Everything should now look as nice as it possibly can in Word.